

鸿太祥印刷机械有限公司

H. SHINE PRINTING MACHINE CO., LTD.

www.labelling.com.cn htx@labelling.com.cn



鸿太祥印刷机械有限公司

H. SHINE PRINTING MACHINE CO., LTD.

注：因不断发展改进，如外型或规格有所改变，恕不预先通知。  
The above specifications, dimensions are subject to change without notice.

# Even higher ... Even further ...

更高 ... 更远 ...



鸿太祥印刷机械有限公司（嘉盛印机）是专业的商标印刷机制造商，地处广东东莞这一现代化工业制造城市。一直以来，我们本着对行业的兴趣与热情，不断创新，成为国内品种最全，产销量最大的商标印刷机械制造商。

公司先后推出了150、210、250、270型不干胶商标印刷机、模切烫金机、多色高速轮转印刷机、品检分条机、晒版机、UV干燥机等各种商标印刷设备及配套设施。产品广泛应用于服装商标、布标、吊卡、医药、食品、日化、IT、电子、胶粘、汽车、玩具、礼品、文具、超市条码等多个领域。而公司代理的各种国际流行商标印刷耗材，品种齐全，有专业凸版油墨、耐水洗油墨、环保无毒油墨、号码机、色卡、专业印刷喷剂、双面胶带、树脂版等，更可满足您印刷时的各种需求。

目前公司在国内多个地区设有分公司，产品销售网络遍布全国各主要城市及部分亚洲地区。无论您在哪里，嘉盛人都能为您提供及时、优质的服务。同时我们也请您提供宝贵的意见和建议，使您所拥有的“嘉盛印机”不仅成为中国的品牌，更成为世界一流的印机。

## H.SHINE PRINTING MACHINE CO., LTD.

which is located at the modern city Dongguan of southern China's Guangdong Province, is specialized in manufacturing wide range of narrow web letterpress machinery. With endless enthusiasm and great interest in the label field, we are always committed ourselves to topical technological innovations and flexible manufacturing capabilities. With the widest range of product offerings and ever-increasing market share at home and abroad, H.SHINE has come to be a leading manufacturer of label printing presses around the world.

Our wide range of product offerings covers flatbed letterpress, rotary letterpress, semi-rotary press, silk screen press, die cut and hot stamp machine and other label print solutions. They are widely used in such fields as clothes tag, medicine, food, daily necessities, IT, electronics, self-adhesive label, car, toy, gift, stationery and barcode and so on. Meanwhile, as agents of many world-famous printing consumables including special letterpress inks, water resistant inks, environmental friendly inks, numbering machine, color guide, special print spray, plate mounting tape, photopolymer plate etc., we are able to satisfy your various printing demands completely in every aspects.

Our branches are throughout big cities all over China. Our overseas agents in Europe, Russia and India are creating a powerful distribution network to promote our products globally. With superb quality and attractive prices, we are ready to be of timely service and sincere support to our end users. As such, your valued feedback and comments will be highly appreciated. We look forward to working together with you to meet new challenges and turn new ideas into reality.



Company profile

# 公司大事记

## BIG EVENT OF COMPANY

- 2000/11 嘉盛印机公司成立 Eng Jiasheng Company was established.
- 2000/12 第一台JS-150商标印刷机问世并销售成功  
The first JS-150 label printing press came out and was well sold.
- 2000/12 第一台JS-210商标印刷机试制成功，并有多台外围小设备投入生产  
The first JS-210 label printing press was successfully developed; many types of peripheral equipment came into production.
- 2000/12 月销量达20余台 Monthly sale reached more than 20 presses.
- 2001/05 公司产品获国家新型不干胶印刷机专利证书  
Granted national authorized patent for New Type Label Printing Press.
- 2001/05 嘉盛印刷技术培训班招生第一批学员  
Eng Jiasheng Print Skill Training Center welcomed her first apprentices.
- 2001/07 广州、宁波、厚街分公司先后成立  
Guangzhou, Ningbo and Houjie branches were successively established.
- 2001/10 300模切烫金机开始生产 JS-300 die cut and hot stamp machine came into production.
- 2001/12 第一批学员毕业，为社会效力 The first apprentices accomplished their technical training.
- 2002/01 公司新迁厂房，扩大生产，公司员工增至200余人，并正式更名为鸿太祥印刷机械有限公司  
Eng Jiasheng Company moved to her new and big site and had her new name H.SHINE PRINTING MACHINE CO., LTD; mass production came into being and company staff increased to more than 200.
- 2002/02 卷装丝印机上市 Roll-fed silk screen printing presses were on the market.
- 2002/04 江苏昆山分公司成立 Kunshan branch in Jiangsu Province was established.
- 2002/05 270印刷机批量上市 JS-270 label printing presses came into a batch production.
- 2002/07 200模切机开发成功 JS-200 die cut machine was successfully developed.
- 2002/09 公司月产量超50台 Monthly sale reached more than 50 presses.
- 2003/04 上海分公司成立 Shanghai branch was established.
- 2003/08 270模切机试制成功 JS-270 die cut machine came out to be a success.
- 2003/10 月产量达百台 Monthly sale reached one hundred presses.
- 2003/11 北京分公司成立 / 全轮转印刷机研制成功  
Beijing branch was established; full rotary letterpress was successfully developed.
- 2003/11 公司网站更名为 www.labelling.com.cn With www.labelling.com.cn as the new website.
- 2003/12 江苏昆山印刷技术培训中心正式成立招生  
Kunshan Print Technical Training Center in Jiangsu Province was established.
- 2004/04 沈阳和成都分公司成立 Shenyang and Chengdu branches were established.
- 2004/06 湖南、中山、厦门、江门、泉州、汕头……等分公司相继成立  
Hunan, Zhongshan, Xiamen, Jiangmen, Quanzhou, Shantou branches were successively established.
- 2004/12 250型平压平印刷机批量生产 JS-250 platen printing presses came into a batch production.
- 2005/07 机组式轮转机开发成功 Intermittent rotary printing press was successfully developed.
- 2006/12 一站式模切贴合取碎口模切剥离取碎口组合系统开发成功  
One-stop die cutting-laminating-matrix rewind & die cutting-peeling-matrix rewind

## NATIONAL AUTHORIZED PATENT 国家专利



公司拥有专利号ZL 01 2 42947 3的实用新型不干胶印刷机专利权，望客户认清商标—嘉盛印机，谨防假冒。  
H.SHINE owns a National Authorized Patent (ZL 01 2 42947 3) for New Type Practical Pressure Sensitive Label Printing Presses. Please make sure your selected brand---"ENG JIASHENG".

## TRADE MARK 注册商标



此标志与“嘉盛印机”，“嘉盛”，“戴卡”，“ENG”，“DICUTEC”为我公司注册商标，严禁仿冒，违者必究。  
The sign on the right together with "嘉盛印机", "嘉盛", "戴卡", "ENG", "ENG JIASHENG", "DICUTEC" is our registered trade mark. Any imitation action will be strictly prohibited. We preserve the legal right of bringing an accusation against the imitator(s).

## SUPPORTING PARTNERS 特别鸣谢

- |                 |              |         |           |
|-----------------|--------------|---------|-----------|
| Siemens 西门子     | KPI 油墨       | 温州友谊彩印  | 北京德记      |
| Yokogawa 横河电机   | NIK 油墨       | 温州钱事达印业 | 金凌印刷      |
| Yaskawa 安川电机    | TOKA (东华) 油墨 | 富士康集团   | 锦隆印刷      |
| PARKER          | 香港长发公司       | 允昌印刷    | 厚街富宇印刷厂   |
| IKO 东晟          | Lohmann 罗曼   | 建升印刷    | Sick      |
| NACHI 永固        | 台湾日文科技       | 北京尊王    | Sunx      |
| NSK 轴承          | 香港中大印刷       | 昆山富山印刷厂 | Schneider |
| TOYO 东洋         | 美的电器公司       | 中原科技    | Re        |
| Schneider 施耐德电器 | 广州丽宝印刷       | 韩国永东电子  | Banner    |




印刷部 Print section	齿轮 gearing	其它参数 Other parameters	
印刷: 6色凸印/1色柔印 Printing: 6 colors letterpress with one UV flexo varnish	印刷齿轮 Print gear: #60(最小)-#140(最大) Z60(min.)-Z140(max.)	所用油墨: UV凸印油墨/UV柔印上光油 Applicable inks: UV letterpress inks/UV flexo varnish	机械尺寸 Machine Size (L.W.H)(mm)
纸张宽度: 260mm Web width: 260mm		印刷速度: 100米/分(最快) Print speed: 100m/min (max.)	5400 × 1160 × 1980
印刷幅面: 254mm Print width: 254mm	CID: Φ1000mm/橡胶质 Φ1000mm/rubber	开卷直径: Φ800mm Unwind diameter: Φ800mm	净重 Net Weight(t)
UV干燥系统: 7套 UV curing system: 7 sets		复卷直径: Φ800mm Rewind diameter: Φ800mm	10



更有6-9-12色供您选择 6-9-12 colors rotary printing is available on request.

# JS-R260

多色高速轮转印刷机  
JS-R260 multi-color high-speed full rotary letterpress






印刷部 Print section	齿轮 gearing	其它参数 Other parameters	
印刷: 9色凸印/1色柔印 Printing: 9 colors letterpress with one UV flexo varnish	印刷齿轮 Print gear: #60(最小)-#140(最大) Z60(min.)-Z140(max.)	所用油墨: UV凸印油墨/UV柔印上光油 Applicable inks: UV letterpress inks/UV flexo varnish	机械尺寸 Machine Size (L.W.H)(mm)
纸张宽度: 260mm Web width: 260mm		印刷速度: 100米/分(最快) Print speed: 100m/min (max.)	7600 × 1160 × 1980
印刷幅面: 254mm Print width: 254mm	CID: Φ1000mm/橡胶质 Φ1000mm/rubber	开卷直径: Φ800mm Unwind diameter: Φ800mm	净重 Net Weight(t)
UV干燥系统: 10套 UV curing system: 10 sets		复卷直径: Φ800mm Rewind diameter: Φ800mm	15



更有6-9-12色供您选择 6-9-12 colors rotary printing is available on request.

# JS-R260

多色高速轮转印刷机  
JS-R260 multi-color high-speed full rotary letterpress





印刷部 Print section	齿轮 gearing	其它参数 Other parameters	
印刷: 12色凸印/1色柔印 Printing: 12 colors letterpress with one UV flexo varnish	印刷齿轮 Print gear: #60(最小)-#140(最大) Z60(min.)-Z140(max.)	所用油墨: UV凸印油墨/UV柔印上光油 Applicable inks: UV letterpress inks/UV flexo varnish	机械尺寸 Machine Size (L.W.H)(mm)
纸张宽度: 260mm Web width: 260mm		印刷速度: 100米/分(最快) Print speed: 100m/min (max.)	8600 × 1160 × 1980
印刷幅面: 254mm Print width: 254mm	CID: Φ1000mm/橡胶质 Φ1000mm/rubber	开卷直径: Φ800mm Unwind diameter: Φ800mm	净重 Net Weight(t)
UV干燥系统: 13套 UV curing system: 13 sets		复卷直径: Φ800mm Rewind diameter: Φ800mm	15




更有6-9-12色供您选择 6-9-12 colors rotary printing is available on request.

# JS-R260

多色高速轮转印刷机

JS-R260 multi-color high-speed full rotary letterpress




型号 Model	印刷面积 Print Area (mm)		拉纸 Paper Pull (mm)		纸宽 Paper Width (mm)		印刷速度(最高)/时、次 Print Speed(Max.)/R、h
	最大 Max.	最小 Min.	最大 Max.	最小 Min.	最大 Max.	最小 Min.	
JS 330 8个伺服 8 Servos	310×270	10×50	270	10	320	50	300车(r)/min
JS 330 3个伺服 3 Servos							

印刷台座 Print Unit (pcs)	使用电量 Power Consumption	机械尺寸 Machine Size (L.W.H)(mm)	净重 Net Weight (t)	包装体积 Packaging Size (m <sup>3</sup> )	印刷间距(mm) Print Pitch
4-8	20HP+18KW (UV)	6000×1500×1500	8-12	27	-30

# JS-330

间歇式全轮转商标印刷机  
Intermittent Rotary Press




型号 Model	印刷面积 Print Area (mm)		拉纸 Paper Pull (mm)		纸宽 Paper Width (mm)		印刷速度(最高)/时、次 Print Speed(Max.)/R、h
	最大 Max.	最小 Min.	最大 Max.	最小 Min.	最大 Max.	最小 Min.	
JS 250 8个伺服 8 Servos	250×215	50×50	215	50	260	50	300车(r)/min
JS 250 3个伺服 3 Servos							150车(r)/min

印刷台座 Print Unit (pcs)	使用电量 Power Consumption	机械尺寸 Machine Size (L.W.H)(mm)	净重 Net Weight (t)	包装体积 Packaging Size (m <sup>3</sup> )	印刷间距(mm) Print Pitch
4-8	13.5HP+18KW (UV)	4500×1200×1200	5-9	22	-30

# JS-250

间歇式全轮转商标印刷机  
Intermittent Rotary Press



型号 Model	模切面积 die cut area(mm)		纸宽 Paper Width (mm)		速度(最高)/分 Speed(Max.)/min	收放纸直径(mm) Unwind/Rewind Dia	机械尺寸(L.W.H)(mm) Machine Size	净重 Net Weight (t)
	最大 Max.	最小 Min.	最大 Max.	最小 Min.				
JS 260	250×500	250×190	260	50	120m/min	Φ1000	3200×1000×1740	3
JS 330	320×500	320×190	330	50				3.1

型号 Model	染色面积 Dyeing area(mm)		纸宽 Paper Width (mm)		速度(最高)/分 Speed(Max.)/min	收放纸直径(mm) Unwind/Rewind Dia	机械尺寸(L.W.H)(mm) Machine Size	净重 Net Weight (t)
	最大 Max.	最小 Min.	最大 Max.	最小 Min.				
JS 260	250×500	250×190	260	50	100m/min	Φ1000	2800×900×1740	2.5
JS 330	320×500	320×190	330	50				2.6

# JS-260/330

多工位圆滚模切机  
Multi-unit rotary die cutting machine



# JS-260/330

光油、染色机  
Varnishing machine/dyeing equipment




印刷部 Print section	齿轮 gearing	其它参数 Other parameters	
印刷: 2色凸印 Printing: 2 colors letterpress	印刷齿轮 Print gear: #60(最小)-#140(最大)	所用油墨: UV凸印油墨/UV柔印上光油 Applicable inks: UV letterpress inks/UV flexo varnish	机械尺寸 Machine Size (L.W.H)(mm)
纸张宽度: 260mm Web width: 260mm	Z60(min.)-Z140(max.)	印刷速度: 80米/分(最快) Print speed: 80m/min (max.)	2000 × 1160 × 1800
印刷幅面: 250mm Print width: 250mm		开卷直径: Φ800mm Unwind diameter: Φ800mm	净重 Net Weight(t)
UV干燥系统: 2套 UV curing system: 2 sets		复卷直径: Φ800mm Rewind diameter: Φ800mm	2

最大进料宽度 Max. web width	160mm	最大模切面积 Max. die cut area	150 × 130mm
二色印刷面积 2-color print area	150 × 122mm	印刷速度 Print speed	3000-11000印/小时 (r/h)
三色印刷面积 3-color print area	150 × 77mm	外形尺寸 Machine size	1800 × 1100 × 1550mm
四色印刷面积 4-color print area	150 × 55mm (选配 optional)	电压 Voltage	220V/380V

# JS-R260

二色高速轮转印刷机  
JS-R260 two color high-speed full rotary letterpress



# JS-150PM

不干胶商标印刷机  
JS-150PM pressure sensitive label printing press



最大进料宽度 Max. web width	210mm	最大模切面积 Max. die cut area	200×180mm
二色印刷面积 2-color print area	200×155mm	印刷速度 Print speed	3000-11000印/小时 (r/h)
三色印刷面积 3-color print area	200×100mm	外形尺寸 Machine size	1950×1280×1720mm
四色印刷面积 4-color print area	200×71mm	电压 Voltage	220V/380V

最大进料宽度 Max. web width	270mm	最大模切面积 Max. die cut area	265×270mm
二色印刷面积 2-color print area	265×219mm	印刷速度 Print speed	3000-9000印/小时 (r/h)
三色印刷面积 3-color print area	265×142mm	外形尺寸 Machine size	2460×1350×2000mm
四色印刷面积 4-color print area	265×103mm	电压 Voltage	220V/380V

# JS-210PM

不干胶商标印刷机

JS-210PM pressure sensitive label printing press



# JS-270PS


JS不干胶商标印刷机

JS-270PS pressure sensitive label printing press



最大进料宽度 Max. web width	270mm	最大模切面积 Max. die cut area	250 × 200mm
二色印刷面积 2-color print area	250 × 236mm	印刷速度 Print speed	3000-9000印/小时 (r/h)
三色印刷面积 3-color print area	250 × 154mm	外形尺寸 Machine size	3410 × 1750 × 1500mm
四色印刷面积 4-color print area	250 × 112mm	电压 voltage	220V/380V

还可提供单模切座机型 Note: machine model with single die cut unit is available on request.




# JS-250SPH

不干胶商标印刷机

JS-250SPH pressure sensitive label printing press

# JS-SCR320

单色丝印机  
JS-SCR320 silk screen printing press




# JS-SCR320II

双色丝印机  
JS-SCR320 II silk screen printing press



最大进料宽度 Max. web width	320mm	外形尺寸 Machine size	2100 × 1100 × 1500mm
印刷面积 Print area	300 × 300mm		
速度 Print speed	1000-4000印/小时 (r/h)	电压 Voltage	220V/380V

可配备UV或红外线干燥装置  
Note: either UV dryer or hot air drying system  
can be equipped with the main machine.



最大进料宽度 Max. web width	210mm	外形尺寸 Machine size	1750×1200×1800mm
最大模切面积 Max. die cut area	200×190mm		
速度 Print speed	50-250次/分钟 (r/m)	电压 Voltage	220V/380V

最大进料宽度 Max. web width	270mm	外形尺寸 Machine size	2480×1140×1800mm
最大模切面积 Max. die cut area	260×190mm		
速度 Print speed	50-250次/分钟 (r/m)	电压 Voltage	220V/380V



最大进料宽度 Max. web width	300mm	外形尺寸 Machine size	2600×1100×1800mm
最大模切面积 Max. die cut area	300×240mm		
速度 Print speed	50-250次/分钟 (r/m)	电压 Voltage	220V/380V

最大进料宽度 Max. web width	330mm	外形尺寸 Machine size	2000×1350×1900mm
最大模切面积 Max. die cut area	330×480mm		
速度 Print speed	50-100次/分钟 (r/m)	电压 Voltage	220V/380V

# JS-D300

JS模切烫金机  
JS-D300 II die cut and hot stamp machine



# JS-D3350

模切烫金机  
JS-D3350 die cut and hot stamp machine



# JS-UV3K

UV干燥机  
JS-UV3K drying machine



气冷式设计，可适配各型印刷机  
Air cooled design, suitable for  
working in line with various types  
of printing presses.

# JS-WPM2340


晒版机  
JS-WPM2340 plate making machine



型号 Model	制版面积 Plate making area
JS-WPM2340	230 × 400mm
JS-WPM3042	300 × 420mm
JS-WPM3545	350 × 450mm
JS-WPM4362	430 × 620mm


# JS-INS320

品检分条机  
JS-INS320 inspection and slitting machine



# JS-SLI320

JS-SLI320 slitting machine 分条机




# JS-INS320E

品检机  
JS-INS320E inspection machine


为您提高质检效率，可自动计张、计长。  
Automatic sheet-count and meter-counter  
increase your label inspection efficiency.



切纸机、送纸机  
sheeter/paper cutter, unwinder



复卷机  
Rewinder



## 为客户提供完美的印刷设备、方案及技术 Superb quality printing machinery and all-round technical solutions!



### 您为标签彩色印刷烦恼吗? Are you troubled with color label printing?

鸿太祥数码图像技术中心为您量身定制专业凸版色彩管理系统。

H.SHINE Digital Image Technology Centre can help you with professional and customized letterpress color management systems.

### 我们的实力: Our advantages:

- 1、丰富的印刷经验  
reliable printing expertise
- 2、卓越的印刷设备  
superb quality printing machinery
- 3、强大的服务网络  
powerful after sales service network
- 4、专业的技术人员  
professional technical staff
- 5、……

交给我们，一切问题将会迎刃而解!

You can rely on our technical staff and experienced print operators.  
We look forward to working with you to meet new challenges and turn new idea into reality.

## 代理销售 Sale agent

- 日本原装KPI、OPI、NIK、TOKA及国产专业凸版印刷油墨。  
Japan-made KPI, OPI, NIK, TOKA and homemade professional letterpress printing inks; 耐水性油墨及其它特殊油墨。  
water fast inks and other special inks 美国大豆协会认证的百分百大豆油墨。  
可印刷各种材料，颜色多样，品质优良，货源充足。  
100% soybean inks, certified by the American Soybean Association and featuring superb quality and multiple colors, can be used to print on various types of label stock.
- 各种机型胶辊常备现货供应。  
Various types of printing rollers are available in stock.
- 现货供应台制、德制、意制等各种型号先进流水号码机。  
Various models of advanced Taiwan-made, German-made and Italian-made numbering machines are available in stock.
- 国际印刷界流行的美国“PANTONE”色卡、“SPRAYWAY”专用粘合及润滑印刷喷剂。  
World-famous American “PANTONE” color guide, “SPRAYWAY” special adhesive and lubricative print spray.
- 高质量树脂版材、双面胶带、刀条、弯刀机。  
High quality photopolymer printing plate, double-faced mounting tape, cutting rules and blade make-up machine.
- UV灯管、制版机灯管、毛刷、静电贴、放大镜等。  
UV lamps; lamps, brush and electrostatic mounting board for plate making machine; magnifying glass etc.

